


## RAW SEQUENCE LISTING ERROR REPORT

BIOTECHNOLOGY  
SYSTEMS  
BRANCH



AUG 02 2001

RECEIVED

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/500,135A  
Source: 1644  
Date Processed by STIC: 7/9/2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: [patin21help@uspto.gov](mailto:patin21help@uspto.gov) or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: [patin3help@uspto.gov](mailto:patin3help@uspto.gov) or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

### Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:  
<http://www.uspto.gov/web/offices/pac/checker>

1644

## RAW SEQUENCE LISTING

DATE: 07/09/2001

PATENT APPLICATION: US/09/500,135A

TIME: 13:21:49

Input Set : A:\GC527C1seqlist.txt

Output Set: N:\CRF3\07092001\I500135A.raw

pp 4-5

Does Not Comply  
Corrected Diskette Needed

3 <110> APPLICANT: Estell, David  
4 Harding, Fiona  
6 <120> TITLE OF INVENTION: PROTEINS PRODUCING AN ALTERED IMMUNOGENIC RESPONSE AND  
7 METHODS OF MAKING AND USING THE SAME  
9 <130> FILE REFERENCE: A-68893/DJB/DAV  
11 <140> CURRENT APPLICATION NUMBER: 09/500,135A  
12 <141> CURRENT FILING DATE: 2000-02-08  
14 <150> PRIOR APPLICATION NUMBER: 09/060,872  
15 <151> PRIOR FILING DATE: 1998-04-15  
17 <160> NUMBER OF SEQ ID NOS: 236  
19 <170> SOFTWARE: PatentIn Ver. 2.1  
21 <210> SEQ ID NO: 1  
22 <211> LENGTH: 1495  
23 <212> TYPE: DNA  
24 <213> ORGANISM: Bacillus amyloliquefaciens  
26 <220> FEATURE:  
27 <221> NAME/KEY: mat\_peptide  
28 <222> LOCATION: (417)..(1495)  
30 <220> FEATURE:  
31 <221> NAME/KEY: CDS  
32 <222> LOCATION: (96)..(1244)  
34 <220> FEATURE:  
35 <221> NAME/KEY: misc\_feature  
36 <222> LOCATION: (582)..(584)  
37 <223> OTHER INFORMATION: The nnn at positions 582 through 584 which in a  
38 preferred embodiment (aat) is to code for  
39 asparagine, but which may also code for proline.  
41 <220> FEATURE:  
42 <221> NAME/KEY: misc\_feature  
43 <222> LOCATION: (585)..(587)  
44 <223> OTHER INFORMATION: The nnn at positions 585 through 587 which in a  
45 preferred embodiment (cct) is to code for proline,  
46 but which may also code for asparagine.  
48 <220> FEATURE:  
49 <221> NAME/KEY: misc\_feature  
50 <222> LOCATION: (597)..(599)  
51 <223> OTHER INFORMATION: The nnn at positions 597 to 599 which in a  
52 preferred embodiment (aac) is to code for  
53 asparagine, but which may also code for aspartic acid.  
55 <220> FEATURE:  
56 <221> NAME/KEY: misc\_feature  
57 <222> LOCATION: (678)..(680)  
58 <223> OTHER INFORMATION: The nnn at positions 678 through 680 which in a  
59 preferred embodiment (gca) is to code for  
60 alanine, but which may also code for serine.  
62 <220> FEATURE:  
63 <221> NAME/KEY: misc\_feature

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/500,135A

DATE: 07/09/2001

TIME: 13:21:49

Input Set : A:\GC527C1seqlist.txt

Output Set: N:\CRF3\07092001\I500135A.raw

```

64 <222> LOCATION: (681)..(683)
65 <223> OTHER INFORMATION: The nnn at positions 681 through 683 which in a
66     preferred embodiment (tca) is to code for serine,
67     but which may also code for alanine.
69 <220> FEATURE:
70 <221> NAME/KEY: misc_feature
71 <222> LOCATION: (708)..(710)
72 <223> OTHER INFORMATION: The nnn at positions 708 through 710 which in a
73     preferred embodiment (gct) is to code for
74     alanine, but which may also code for aspartic acid.
76 <220> FEATURE:
77 <221> NAME/KEY: misc_feature
78 <222> LOCATION: (711)..(713)
79 <223> OTHER INFORMATION: The nnn at positions 711 through 713 which in a
80     preferred embodiment (gac) is to code for
81     aspartic acid, but which may also code for alanine.
83 <220> FEATURE:
84 <221> NAME/KEY: misc_feature
85 <222> LOCATION: (888)..(890)
86 <223> OTHER INFORMATION: The nnn at positions 888 through 890 which in a
87     preferred embodiment (act) is to code for
88     threonine, but which may also code for serine.
90 <220> FEATURE:
91 <221> NAME/KEY: misc_feature
92 <222> LOCATION: (891)..(893)
93 <223> OTHER INFORMATION: The nnn at positions 891 through 893 which in a
94     preferred embodiment (tcc) is to code for
95     serine, but which may also code for threonine.
97 <220> FEATURE:
98 <221> NAME/KEY: misc_feature
99 <222> LOCATION: (1167)..(1169)
100 <223> OTHER INFORMATION: The nnn at positions 1167 through 1169 which in
101     a preferred embodiment (gaa) is to code for
102     glutamic acid, but which may also code for glutamine.
104 <400> SEQUENCE: 1
105 ggtctactaa aatattattc catactatac aattaatata cagaataatc tgtctattgg 60
107 ttattctgca aatgaaaaaa aggagaggat aaaga atg aga ggc aaa aaa gta 113
108                                     Met Arg Gly Lys Lys Val
109                                     -105
111 tgg atc agt ttg ctg ttt gct tta gcg tta atc ttt acg atg gcg ttc 161
112 Trp Ile Ser Leu Leu Phe Ala Leu Ala Leu Ile Phe Thr Met Ala Phe
113 -100 -95 -90
115 ggc agc aca tcc tct gcc cag gcg gca ggg aaa tca aac ggg gaa aag 209
116 Gly Ser Thr Ser Ser Ala Gln Ala Ala Gly Lys Ser Asn Gly Glu Lys
117 -85 -80 -75 -70
119 aaa tat att gtc ggg ttt aaa cag aca atg agc acg atg agc gcc gct 257
120 Lys Tyr Ile Val Gly Phe Lys Gln Thr Met Ser Thr Met Ser Ala Ala
121 -65 -60 -55
123 aag aag aaa gat gtc att tct gaa aaa ggc ggg aaa gtg caa aag caa 305

```

## RAW SEQUENCE LISTING

DATE: 07/09/2001

PATENT APPLICATION: US/09/500,135A

TIME: 13:21:49

Input Set : A:\GC527C1seqlist.txt

Output Set: N:\CRF3\07092001\I500135A.raw

```

124 Lys Lys Lys Asp Val Ile Ser Glu Lys Gly Gly Lys Val Gln Lys Gln
125 -50 -45 -40
127 ttc aaa tat gta gac gca gct tca gct aca tta aac gaa aaa gct gta 353
128 Phe Lys Tyr Val Asp Ala Ala Ser Ala Thr Leu Asn Glu Lys Ala Val
129 -35 -30 -25
131 aaa gaa ttg aaa aaa gac ccg agc gtc gct tac gtt gaa gaa gat cac 401
132 Lys Glu Leu Lys Lys Asp Pro Ser Val Ala Tyr Val Glu Glu Asp His
133 -20 -15 -10
135 gta gca cat gcg tac gcg cag tcc gtg cct tac ggc gta tca caa att 449
136 Val Ala His Ala Tyr Ala Gln Ser Val Pro Tyr Gly Val Ser Gln Ile
137 -5 -1 1 5 10
139 aaa gcc cct gct ctg cac tct caa ggc tac act gga tca aat gtt aaa 497
140 Lys Ala Pro Ala Leu His Ser Gln Gly Tyr Thr Gly Ser Asn Val Lys
141 15 20 25
143 gta gcg gtt atc gac agc ggt atc gat tct tct cat cct gat tta aag 545
144 Val Ala Val Ile Asp Ser Gly Ile Asp Ser Ser His Pro Asp Leu Lys
145 30 35 40
W--> 147 gta gca ggc gga gcc agc atg gtt cct tct gaa aca nnn nnn ttc caa 593
W--> 148 Val Ala Gly Gly Ala Ser Met Val Pro Ser Glu Thr Xaa Xaa Phe Gln
149 45 50 55
W--> 151 gac nnn aac tct cac gga act cac gtt gcc ggc aca gtt gcg gct ctt 641
W--> 152 Asp Xaa Asn Ser His Gly Thr His Val Ala Gly Thr Val Ala Ala Leu
153 60 65 70 75
W--> 155 aat aac tca atc ggt gta tta ggc gtt gcg cca agc nnn nnn ctt tac 689
W--> 156 Asn Asn Ser Ile Gly Val Leu Gly Val Ala Pro Ser Xaa Xaa Leu Tyr
157 80 85 90
W--> 159 gct gta aaa gtt ctc ggt nnn nnn ggt tcc ggc caa tac agc tgg atc 737
W--> 160 Ala Val Lys Val Leu Gly Xaa Xaa Gly Ser Gly Gln Tyr Ser Trp Ile
161 95 100 105
163 att aac gga atc gag tgg gcg atc gca aac aat atg gac gtt att aac 785
164 Ile Asn Gly Ile Glu Trp Ala Ile Ala Asn Asn Met Asp Val Ile Asn
165 110 115 120
167 atg agc ctc ggc gga cct tct ggt tct gct gct tta aaa gcg gca gtt 833
168 Met Ser Leu Gly Gly Pro Ser Gly Ser Ala Ala Leu Lys Ala Ala Val
169 125 130 135
171 gat aaa gcc gtt gca tcc ggc gtc gta gtc gtt gcg gca gcc ggt aac 881
172 Asp Lys Ala Val Ala Ser Gly Val Val Val Val Ala Ala Ala Gly Asn
173 140 145 150 155
W--> 175 gaa ggc nnn nnn ggc agc tca agc aca gtg ggc tac cct ggt aaa tac 929
W--> 176 Glu Gly Xaa Xaa Gly Ser Ser Ser Thr Val Gly Tyr Pro Gly Lys Tyr
177 160 165 170
179 cct tct gtc att gca gta ggc gct gtt gac agc agc aac caa aga gca 977
180 Pro Ser Val Ile Ala Val Gly Ala Val Asp Ser Ser Asn Gln Arg Ala
181 175 180 185
183 tct ttc tca agc gta gga cct gag ctt gat gtc atg gca cct ggc gta 1025
184 Ser Phe Ser Ser Val Gly Pro Glu Leu Asp Val Met Ala Pro Gly Val
185 190 195 200
187 tct atc caa agc acg ctt cct gga aac aaa tac ggg gcg tac aac ggt 1073
188 Ser Ile Gln Ser Thr Leu Pro Gly Asn Lys Tyr Gly Ala Tyr Asn Gly

```

## RAW SEQUENCE LISTING

DATE: 07/09/2001

PATENT APPLICATION: US/09/500,135A

TIME: 13:21:49

Input Set : A:\GC527C1seqlist.txt

Output Set: N:\CRF3\07092001\I500135A.raw

```

189      205      210      215
191 acg tca atg gca tct ccg cac gtt gcc gga gcg gct gct ttg att ctt 1121
192 Thr Ser Met Ala Ser Pro His Val Ala Gly Ala Ala Leu Ile Leu
193 220      225      230      235
W--> 195 tct aag cac ccg aac tgg aca aac act caa gtc cgc agc agt tta nnn 1169
W--> 196 Ser Lys His Pro Asn Trp Thr Asn Thr Gln Val Arg Ser Ser Leu Xaa
197      240      245      250
199 aac acc act aca aaa ctt ggt gat tct ttc tac tat gga aaa ggg ctg 1217
200 Asn Thr Thr Thr Lys Leu Gly Asp Ser Phe Tyr Tyr Gly Lys Gly Leu
201      255      260      265
203 atc aac gta cag gcg gca gct cag taa aacataaaaa accggccttg 1264
204 Ile Asn Val Gln Ala Ala Ala Gln
205      270      275
207 gccccgcggg ttttttttatt ttttttctc cgcattgttca atccgctcca taatcgacgg 1324
209 atggctccct ctgaaaattt taacgagaaa cggcgggttg acccggtca gtcccgtaac 1384
211 ggccaagtcc tgaaacgtct caatcgccgc ttcgggttt ccggtcagct caatgccgta 1444
213 acggtcggcg gggttttcct gataccggga gacggcatte gtaatcggat c 1495
216 <210> SEQ ID NO: 2
217 <211> LENGTH: 382
218 <212> TYPE: PRT
219 <213> ORGANISM: Bacillus amyloliquefaciens
221 <220> FEATURE:
222 <221> NAME/KEY: VARIANT
223 <222> LOCATION: (163)...(163)
224 <223> OTHER INFORMATION: Xaa = Asn or Pro
226 <220> FEATURE:
227 <221> NAME/KEY: VARIANT
228 <222> LOCATION: (164)...(164)
229 <223> OTHER INFORMATION: Xaa = Pro or Asn
231 <220> FEATURE:
232 <221> NAME/KEY: VARIANT
233 <222> LOCATION: (167)...(167) (168)...(168)
234 <223> OTHER INFORMATION: Xaa = Asn or Asp
236 <220> FEATURE:
237 <221> NAME/KEY: VARIANT
238 <222> LOCATION: (195)...(195)
239 <223> OTHER INFORMATION: Xaa = Ala or Ser
241 <220> FEATURE:
242 <221> NAME/KEY: VARIANT
243 <222> LOCATION: (196)...(196)
244 <223> OTHER INFORMATION: Xaa = Ser or Ala
246 <220> FEATURE:
247 <221> NAME/KEY: VARIANT
248 <222> LOCATION: (205)...(205)
249 <223> OTHER INFORMATION: Xaa = Ala or Asp
251 <220> FEATURE:
252 <221> NAME/KEY: VARIANT
253 <222> LOCATION: (206)...(206)
254 <223> OTHER INFORMATION: Xaa = Asp or Ala

```

Asp is at 167 (see next page)

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/500,135A

DATE: 07/09/2001

TIME: 13:21:49

Input Set : A:\GC527C1seqlist.txt

Output Set : N:\CRF3\07092001\I500135A.raw

```

256 <220> FEATURE:
257 <221> NAME/KEY: VARIANT
258 <222> LOCATION: (265)...(265)
259 <223> OTHER INFORMATION: Xaa = Thr or Ser
261 <220> FEATURE:
262 <221> NAME/KEY: VARIANT
263 <222> LOCATION: (266)...(266)
264 <223> OTHER INFORMATION: Xaa = Ser or Thr
266 <220> FEATURE:
267 <221> NAME/KEY: VARIANT
268 <222> LOCATION: (358)...(358)
269 <223> OTHER INFORMATION: Xaa = Gln or Glu
271 <400> SEQUENCE: 2
272 Met Arg Gly Lys Lys Val Trp Ile Ser Leu Leu Phe Ala Leu Ala Leu
273   1           5           10           15
274 Ile Phe Thr Met Ala Phe Gly Ser Thr Ser Ser Ala Gln Ala Ala Gly
275           20           25           30
276 Lys Ser Asn Gly Glu Lys Lys Tyr Ile Val Gly Phe Lys Gln Thr Met
277           35           40           45
278 Ser Thr Met Ser Ala Ala Lys Lys Asp Val Ile Ser Glu Lys Gly
279           50           55           60
280 Gly Lys Val Gln Lys Gln Phe Lys Tyr Val Asp Ala Ala Ser Ala Thr
281   65           70           75           80
282 Leu Asn Glu Lys Ala Val Lys Glu Leu Lys Lys Asp Pro Ser Val Ala
283           85           90           95
284 Tyr Val Glu Glu Asp His Val Ala His Ala Tyr Ala Gln Ser Val Pro
285           100          105          110
286 Tyr Gly Val Ser Gln Ile Lys Ala Pro Ala Leu His Ser Gln Gly Tyr
287           115          120          125
288 Thr Gly Ser Asn Val Lys Val Ala Val Ile Asp Ser Gly Ile Asp Ser
289           130          135          140
290 Ser His Pro Asp Leu Lys Val Ala Gly Gly Ala Ser Met Val Pro Ser
291 145           150          155          160
W--> 292 Glu Thr Xaa Xaa Phe Gln Asp Xaa Asn Ser His Gly Thr His Val Ala
293           165          170          175
294 Gly Thr Val Ala Ala Leu Asn Asn Ser Ile Gly Val Leu Gly Val Ala
295           180          185          190
OK-> 296 Pro Ser Xaa Xaa Leu Tyr Ala Val Lys Val Leu Gly Xaa Xaa Gly Ser
297           195          200          205
298 Gly Gln Tyr Ser Trp Ile Ile Asn Gly Ile Glu Trp Ala Ile Ala Asn
299           210          215          220
300 Asn Met Asp Val Ile Asn Met Ser Leu Gly Gly Pro Ser Gly Ser Ala
301 225           230          235          240
302 Ala Leu Lys Ala Ala Val Asp Lys Ala Val Ala Ser Gly Val Val Val
303           245          250          255
OK-> 304 Val Ala Ala Ala Gly Asn Glu Gly Xaa Xaa Gly Ser Ser Ser Thr Val
305           260          265          270
306 Gly Tyr Pro Gly Lys Tyr Pro Ser Val Ile Ala Val Gly Ala Val Asp
307           275          280          285

```

NO PAGE 7  
PROCESSED  
07/09/2001

## VERIFICATION SUMMARY

PATENT APPLICATION: US/09/500,135A

DATE: 07/09/2001

TIME: 13:21:50

Input Set : A:\GC527C1seqlist.txt

Output Set: N:\CRF3\07092001\I500135A.raw

L:147 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:148 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:152 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:155 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:156 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:159 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:160 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:175 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:176 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:195 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1  
L:292 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2  
L:296 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2  
L:304 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2  
L:316 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2